

WASHINGTON

BLUE MOUNTAINS ECOREGION



G1 and G2 Species Habitat Management Guidelines

INTRODUCTION

The Sustainable Forestry Initiative® (SFI) [2022 Standards](#) include requirements that promote and conserve Forests with Exceptional Conservation Value (FECV), which includes critically imperiled (G1) and imperiled (G2) species. This fact sheet summarizes the analysis of FECV habitat within this ecoregion and provides habitat management recommendations that would benefit species potentially found here.

HABITAT TYPES

- Forest Edge
- Mixed Conifer Forest
- Wetland
- Special Sites (Bare Rock/Talus, Grassland)

FOREST EDGE MANAGEMENT

- Protect known locations
- Buffer or light touch buffer
- Provide floral resources such as Asters, Chrysothamnus, and Cirsium

MIXED CONIFER FOREST MANAGEMENT

- Protect known locations
- Retain legacy trees, stumps, and logs
- Retain large diameter trees with cavities or broken tops
- Leave skips and gaps with dense shrub component
- Retain large slash into piles

WETLAND MANAGEMENT

- Protect known locations
- Plant a diversity of both hardwood and conifer trees
- Retain large diameter trees near wetlands
- Buffer wetlands, springs, and headwater areas

SPECIAL SITES (BARE ROCK/TALUS, GRASSLANDS) MANAGEMENT


- Protect known locations
- Buffer or light touch buffer



Suckley bumble bee



Rough Goldenweed



Spalding's Campion

All management recommendations assume that operators and land managers are following all applicable BMPs, laws, and regulations.

WASHINGTON


BLUE MOUNTAINS ECOREGION

G1 and G2 Species Habitat Management Guidelines



SCIENTIFIC NAME	COMMON NAME	HABITAT	STATUS
<i>Phlox solivaga</i>	Yeti Phlox	Bare Rock/Talus	G1
<i>Bombus suckleyi</i>	Suckley bumble bee	Forest Edge	G1G3
<i>Pyrrocoma scaberula</i>	Rough Goldenweed	Forest Edge	G2
<i>Silene spaldingii</i>	Spalding's Campion	Forest Edge	G2
<i>Megomphix lutarius</i>	Umatilla megomphid	Mixed Conifer Forest	G1
<i>Oreohelix sp. 18</i>	Limestone Point mountainsnail	Grassland	G1
<i>Allium diction</i>	Blue Mountain Onion	Grassland	G2
<i>Rubus nigerrimus</i>	Northwestern Blackberry	Wetland	G2

*Species links provided when available



All management recommendations assume that operators and land managers are following all applicable BMPs, laws, and regulations.

WASHINGTON

CANADIAN ROCKY MOUNTAINS ECOREGION



G1 and G2 Species Habitat Management Guidelines

INTRODUCTION


The Sustainable Forestry Initiative® (SFI) [2022 Standards](#) include requirements that promote and conserve Forests with Exceptional Conservation Value (FECV), which includes critically imperiled (G1) and imperiled (G2) species. This fact sheet summarizes the analysis of FECV habitat within this ecoregion and provides habitat management recommendations that would benefit species potentially found here.

HABITAT TYPE


- Forest Edge

FOREST EDGE MANAGEMENT

- Protect known locations,
- Provide floral resources such as Asters, Chrysothamnus, and Cirsium
- Retain legacy trees, stumps and logs
- Retain large diameter trees with cavities or broken tops
- Leave skips and gaps with dense shrub component
- Retain large slash into piles



Spalding's Campion



Suckley bumble bee

WASHINGTON


CANADIAN ROCKY MOUNTAINS ECOREGION

G1 and G2 Species Habitat Management Guidelines



SCIENTIFIC NAME	COMMON NAME	HABITAT	STATUS
<i>Bombus suckleyi</i>	Suckley bumble bee	Forest Edge	G1G3
<i>Silene spaldingii</i>	Spalding's Campion	Forest Edge	G2

*Species links provided when available



All management recommendations assume that operators and land managers are following all applicable BMPs, laws, and regulations.

WASHINGTON

COLUMBIA PLATEAU ECOREGION



G1 and G2 Species Habitat Management Guidelines

INTRODUCTION

The Sustainable Forestry Initiative® (SFI) [2022 Standards](#) include requirements that promote and conserve Forests with Exceptional Conservation Value (FECV), which includes critically imperiled (G1) and imperiled (G2) species. This fact sheet summarizes the analysis of FECV habitat within this ecoregion and provides habitat management recommendations that would benefit species potentially found here.

HABITAT TYPES

- Forest Edge
- Mixed Conifer Forest
- Riparian or Streams and Wetlands
- Special Sites (Bare Rock/Talus, Pools, Grasslands)

FOREST EDGE MANAGEMENT

- Protect known locations
- Buffer special sites
- Provide floral resources such as Asters, Chrysothamnus, and Cirsium

MIXED CONIFER FOREST MANAGEMENT

- Protect known locations
- Retain legacy trees, stumps, and logs
- Retain large diameter trees with cavities or broken tops
- Leave skips and gaps with dense shrub component
- Retain large slash into piles

RIPARIAN, STREAMS & WETLANDS MANAGEMENT

- Protect known locations
- Maintain well vegetated buffers
- Plant a diversity of both hardwood and conifer trees
- Retain large diameter trees near streams and rivers
- Buffer wetlands, springs, and headwater areas

SPECIAL SITES MANAGEMENT

- Protect known locations
- Buffer special sites



Suckley bumble bee



Wenatchee Larkspur



Columbia Oregonian

All management recommendations assume that operators and land managers are following all applicable BMPs, laws, and regulations.

WASHINGTON


COLUMBIA PLATEAU ECOREGION

G1 and G2 Species Habitat Management Guidelines



SCIENTIFIC NAME	COMMON NAME	HABITAT	STATUS
<i>Phlox solivaga</i>	Yeti Phlox	Bare rock/talus	G1
<i>Helicodiscus salmonaceus</i>	Salmon coil	Bare rock/Talus	G2
<i>Bombus suckleyi</i>	Suckley bumble bee	Forest Edge	G1G3
<i>Symphytotrichum jessicae</i>	Jessica's Aster	Forest Edge	G2
<i>Pyrrocoma scaberula</i>	Rough Goldenweed	Forest Edge	G2
<i>Silene spaldingii</i>	Spalding's Campion	Forest Edge	G2
<i>Driloleirus americanus</i>	Giant Palouse Earthworm	Grassland	G1
<i>Oreohelix sp. 18</i>	Limestone Point mountainsnail	Grassland	G1
<i>Astragalus arrectus</i>	Palouse Milkvetch	Grassland	G2
<i>Pyrrocoma liatrifomis</i>	Smallhead Goldenweed	Grassland	G2
<i>Oreohelix junii</i>	Grand Coulee mountainsnail	Mixed Conifer Forest	G2
<i>Trifolium thompsonii</i>	Thompson's Clover	Mixed Conifer Forest	G2
<i>Vespericola depressa</i>	Dalles hesperian	Mixed Conifer Forest	G2
<i>Branchinecta cornigera</i>	Horned Fairy Shrimp	Pools	G2
<i>Branchinecta campestris</i>	Pocked Pouch Fairy Shrimp	Pools	G2
<i>Allium constrictum</i>	Constricted Douglas' Onion	Pools	G2G3
<i>Juga sp. 3</i>	Brown juga	Riparian or Streams	G1
<i>Branchinecta lutulenta</i>	Muddy Fairy Shrimp	Riparian or Streams	G1
<i>Juga sp. 7</i>	Three-band juga	Riparian or Streams	G1
<i>Cryptomastix hendersoni</i>	Columbia Oregonian	Riparian or Streams	G1G2
<i>Vorticifex neritoides</i>	Nerite rams-horn	Riparian or Streams	G1
<i>Fluminicola fuscus</i>	Ashy pebblesnail	Riparian or Streams	G2
<i>Juga sp. 1</i>	Basalt juga	Riparian or Streams	G2
<i>Fisherola nuttalli</i>	Shortface lanx	Riparian or Streams	G2
<i>Delphinium viridescens</i>	Wenatchee Larkspur	Riparian or Streams	G2
<i>Spiranthes diluvialis</i>	Ute Ladies'-tresses	Riparian or Streams	G2G3
<i>Rubus nigerrimus</i>	Northwestern Blackberry	Wetland	G2

*species links provided when available



All management recommendations assume that operators and land managers are following all applicable BMPs, laws, and regulations.

WASHINGTON EAST CASCADES ECOREGION

G1 and G2 Species Habitat Management Guidelines



INTRODUCTION

The Sustainable Forestry Initiative® (SFI) [2022 Standards](#) include requirements that promote and conserve Forests with Exceptional Conservation Value (FECV), which includes critically imperiled (G1) and imperiled (G2) species. This fact sheet summarizes the analysis of FECV habitat within this ecoregion and provides habitat management recommendations that would benefit species potentially found here.

HABITAT TYPES

- Forest Edge
- Mixed Conifer Forest
- Riparian or Streams, Wetlands
- Special Sites (Bare Rock/Talus, Grassland, Pools)

FOREST EDGE MANAGEMENT

- Protect known locations
- Apply buffers or light touch
- Provide floral resources such as Asters, Chrysothamnus, and Cirsium

MIXED CONIFER FOREST MANAGEMENT

- Protect known locations
- Retain legacy trees, stumps, and logs
- Retain large diameter trees with cavities or broken tops
- Leave skips and gaps with dense shrub component
- Retain large slash into piles

RIPARIAN, STREAM, WETLAND MANAGEMENT

- Protect known locations
- Maintain well vegetated riparian buffers
- Plant a diversity of both hardwood and conifer trees
- Retain large diameter trees near streams and rivers
- Buffer wetlands, springs, and headwater areas

SPECIAL SITES MANAGEMENT


- Protect known locations
- Buffer special sites



Oregon Spotted Frog



Wenatchee Larkspur



Mardon Skipper

All management recommendations assume that operators and land managers are following all applicable BMPs, laws, and regulations.


WASHINGTON EAST CASCADES ECOREGION

G1 and G2 Species Habitat Management Guidelines



SCIENTIFIC NAME	COMMON NAME	HABITAT	STATUS
<i>Hackelia venusta</i>	Showy Stickseed	Bare rock/Talus	G1
<i>Hackelia taylorii</i>	Taylor's Stickseed	Bare rock/Talus	G1
<i>Penstemon barrettiae</i>	Barrett's Beardtongue	Bare rock/talus	G2
<i>Bombus suckleyi</i>	Suckley bumble bee	Forest Edge	G1G3
<i>Driloleirus americanus</i>	Giant Palouse Earthworm	Grassland	G1
<i>Lomatium roneorum</i>	Leavenworth Desert-parsley	Grassland	G1
<i>Meconella oregana</i>	White Meconella	Grassland	G2
<i>Polites mardon</i>	Mardon Skipper	Grassland	G2G3
<i>Oreohelix junii</i>	Grand Coulee mountainsnail	Mixed Conifer Forest	G2
<i>Trifolium thompsonii</i>	Thompson's Clover	Mixed Conifer Forest	G2
<i>Pedicularis rainierensis</i>	Mount Rainier Lousewort	Mixed Conifer Forest	G2G3
<i>Isoetes minima</i>	Midget Quillwort	Pools	G1G2
<i>Juga sp. 3</i>	Brown juga	Riparian or Streams	G1
<i>Juga sp. 7</i>	Three-band juga	Riparian or Streams	G1
<i>Cryptomastix hendersoni</i>	Columbia Oregonian	Riparian or Streams	G1G2
<i>Vorticifex neritoides</i>	Nerite rams-horn	Riparian or Streams	G1
<i>Juga sp. 1</i>	Basalt juga	Riparian or Streams	G2
<i>Fluminicola virens</i>	Olympia pebblesnail	Riparian or Streams	G2
<i>Delphinium viridescens</i>	Wenatchee Larkspur	Riparian or Streams	G2
<i>Spiranthes diluvialis</i>	Ute Ladies'-tresses	Riparian or Streams	G2G3
<i>Rana pretiosa</i>	Oregon Spotted Frog	Wetland	G2
<i>Sisyrinchium sarmentosum</i>	Pale Blue-eyed-grass	Wetland	G2
<i>Castilleja cryptantha</i>	Obscure Indian-paintbrush	Wetland	G2G3

*Species links provided when available



All management recommendations assume that operators and land managers are following all applicable BMPs, laws, and regulations.

WASHINGTON NORTH CASCADES ECOREGION

G1 and G2 Species Habitat Management Guidelines



INTRODUCTION

The Sustainable Forestry Initiative® (SFI) [2022 Standards](#) include requirements that promote and conserve Forests with Exceptional Conservation Value (FECV), which includes critically imperiled (G1) and imperiled (G2) species. This fact sheet summarizes the analysis of FECV habitat within this ecoregion and provides habitat management recommendations that would benefit species potentially found here.

HABITAT TYPE


- Wetland

WETLAND MANAGEMENT

- Protect known locations
- Maintain well vegetated buffers
- Plant a diversity of both hardwood and conifer trees
- Buffer wetlands, springs, and headwater areas



SCIENTIFIC NAME	COMMON NAME	HABITAT	STATUS
<i>Rana pretiosa</i>	Oregon Spotted Frog	Wetland	G2



All management recommendations assume that operators and land managers are following all applicable BMPs, laws, and regulations.

WASHINGTON NORTHWEST COAST ECOREGION



G1 and G2 Species Habitat Management Guidelines

INTRODUCTION

The Sustainable Forestry Initiative® (SFI) [2022 Standards](#) include requirements that promote and conserve Forests with Exceptional Conservation Value (FECV), which includes critically imperiled (G1) and imperiled (G2) species. This fact sheet summarizes the analysis of FECV habitat within this ecoregion and provides habitat management recommendations that would benefit species potentially found here.

HABITAT TYPES

- Bare Rock/Talus
- Mixed Conifer Forest
- Riparian, Stream, Wetland

BARE ROCK/TALUS MANAGEMENT

- Protect known locations
- Buffer special sites

MIXED CONIFER FOREST MANAGEMENT

- Protect known locations
- Retain legacy trees, stumps, and logs
- Retain large diameter trees with cavities or broken tops
- Leave skips and gaps with dense shrub component
- Retain large slash into piles

RIPARIAN, STREAM, WETLAND MANAGEMENT

- Protect known locations
- Maintain well vegetated riparian buffers
- Plant a diversity of both hardwood and conifer trees in the riparian zone
- Retain large diameter trees near streams and rivers
- Buffer wetlands, springs, and headwater areas



Fringed Kittentails



Olympic Marmot



Chambers Paintbrush

All management recommendations assume that operators and land managers are following all applicable BMPs, laws, and regulations.


WASHINGTON NORTHWEST COAST ECOREGION



G1 and G2 Species Habitat Management Guidelines

SCIENTIFIC NAME	COMMON NAME	HABITAT	STATUS
<i>Castilleja chambersii</i>	Chambers Paintbrush	Bare rock/Talus	G1
<i>Arabis olympica</i>	Columbia Gorge Rockcress	Bare rock/Talus	G1
<i>Marmota olympus</i>	Olympic Marmot	Bare rock/Talus	G2
<i>Astragalus cottonii</i>	Cotton's Milkvetch	Bare rock/Talus	G2
<i>Synthyris schizantha</i>	Fringed Kittentails	Mixed Conifer Forest	G2
<i>Vertigo andrusiana</i>	Pacific Vertigo	Mixed Conifer Forest	G2G3
<i>Pristiloma pilsbryi</i>	Crowned tightcoil	Riparian or Streams	G1
<i>Vertigo sp. 1</i>	Hoko Vertigo	Riparian or Streams	G1
<i>Sidalcea hirtipes</i>	Bristly-stem Sidalcea	Riparian or Streams	G2
<i>Fluminicola virens</i>	Olympia pebblesnail	Riparian or Streams	G2
<i>Dodecatheon austrofrigidum</i>	Southerly Frigid Shootingstar	Riparian or Streams	G2
<i>Lathyrus holochlorus</i>	Thinleaf Peavine	Riparian or Streams	G2
<i>Sidalcea nelsoniana</i>	Nelson's Sidalcea	Riparian or Streams	G2G3
<i>Erythronium quinaultense</i>	Quinault Fawnlily	Wetland	G1G2
<i>Filipendula occidentalis</i>	Queen-of-the-Forest	Wetland	G2G3

*Species links provided when available



All management recommendations assume that operators and land managers are following all applicable BMPs, laws, and regulations.

WASHINGTON OKANOGAN ECOREGION

G1 and G2 Species Habitat Management Guidelines



INTRODUCTION

The Sustainable Forestry Initiative® (SFI) [2022 Standards](#) include requirements that promote and conserve Forests with Exceptional Conservation Value (FECV), which includes critically imperiled (G1) and imperiled (G2) species. This fact sheet summarizes the analysis of FECV habitat within this ecoregion and provides habitat management recommendations that would benefit species potentially found here.

HABITAT TYPES

- Mixed Conifer Forest
- Riparian, Streams, Freshwater Lakes and Wetlands
- Special Sites (Bare Rock/Talus, Grassland, Pools)

MIXED CONIFER FOREST MANAGEMENT

- Protect known locations
- Retain legacy trees, stumps, and logs
- Retain large diameter trees with cavities or broken tops
- Leave skips and gaps with dense shrub component
- Retain large slash into piles

RIPARIAN, STREAMS, FRESHWATER LAKES AND WETLANDS MANAGEMENT

- Protect known locations
- Maintain well vegetated buffers
- Plant a diversity of both hardwood and conifer trees
- Retain large diameter trees
- Buffer wetlands, lakes, pools, springs, and headwater areas

SPECIAL SITE (BARE ROCK/TALUS, GRASSLAND, POOLS) MANAGEMENT

- Protect known locations
- Buffer special sites



Ute Ladies'-tresses



Ashy pebblesnail



Phipps' Hawthorn

All management recommendations assume that operators and land managers are following all applicable BMPs, laws, and regulations.


WASHINGTON OKANOGAN ECOREGION

G1 and G2 Species Habitat Management Guidelines



SCIENTIFIC NAME	COMMON NAME	HABITAT	STATUS
<i>Pristiloma idahoense</i>	Thinlip tightcoil	Bare rock/Talus	G2G3
<i>Amnicola sp. 2</i>	Washington dusksnail	Freshwater Lakes	G1
<i>Astragalus arrectus</i>	Palouse Milkvetch	Grassland	G2
<i>Oreohelix junii</i>	Grand Coulee mountainsnail	Mixed Conifer Forest	G2
<i>Isoetes minima</i>	Midget Quillwort	Pools	G1G2
<i>Branchinecta cornigera</i>	Horned Fairy Shrimp	Pools	G2
<i>Branchinecta campestris</i>	Pocked Pouch Fairy Shrimp	Pools	G2
<i>Fluminicola fuscus</i>	Ashy pebblesnail	Riparian or Streams	G2
<i>Fisherola nuttalli</i>	Shortface lanx	Riparian or Streams	G2
<i>Spiranthes diluvialis</i>	Ute Ladies'-tresses	Riparian or Streams	G2G3
<i>Crataegus phippsii</i>	Phipps' Hawthorn	Wetland	G2G3

*Species links provided when available



All management recommendations assume that operators and land managers are following all applicable BMPs, laws, and regulations.

WASHINGTON PUGET TROUGH Ecoregion

G1 and G2 Species Habitat Management Guidelines



INTRODUCTION

The Sustainable Forestry Initiative® (SFI) [2022 Standards](#) include requirements that promote and conserve Forests with Exceptional Conservation Value (FECV), which includes critically imperiled (G1) and imperiled (G2) species. This fact sheet summarizes the analysis of FECV habitat within this ecoregion and provides habitat management recommendations that would benefit species potentially found here.

HABITAT TYPES

- Forest Edge
- Riparian, Streams, Wetlands
- Special Sites (Bare Rock/Talus, Grassland)

FOREST EDGE MANAGEMENT


- Protect known locations
- Apply buffer or light touch
- Provide floral resources such as Asters, Chrysothamnus, and Cirsium

RIPARIAN, STREAMS, WETLANDS MANAGEMENT

- Protect known locations
- Maintain well vegetated buffers
- Plant a diversity of both hardwood and conifer trees
- Retain large diameter trees near streams and rivers
- Buffer wetlands, springs, and headwater areas

SPECIAL SITES (BARE ROCK/TALUS, GRASSLAND) MANAGEMENT


- Protect known locations
- Buffer special sites



Suckley bumble bee



Victoria's Indian-paintbrush



Mardon Skipper


WASHINGTON PUGET TROUGH ECOREGION

G1 and G2 Species Habitat Management Guidelines



SCIENTIFIC NAME	COMMON NAME	HABITAT	STATUS
<i>Arabis olympica</i>	Columbia Gorge Rockcress	Bare Rock/Talus	G1
<i>Bombus suckleyi</i>	Suckley bumble bee	Forest Edge	G1G3
<i>Meconella oregana</i>	White Meconella	Grassland	G2
<i>Polites mardon</i>	Mardon Skipper	Grassland	G2G3
<i>Catostomus sp. 4</i>	Salish Sucker	Riparian or Streams	G1
<i>Castilleja victorae</i>	Victoria's Indian-paintbrush	Riparian or Streams	G1
<i>Sidalcea hirtipes</i>	Bristly-stem Sidalcea	Riparian or Streams	G2
<i>Fluminicola virens</i>	Olympia pebblesnail	Riparian or Streams	G2
<i>Sidalcea nelsoniana</i>	Nelson's Sidalcea	Riparian or Streams	G2G3
<i>Eanus hatchi</i>	Hatch's Click Beetle	Wetland	G1
<i>Rana pretiosa</i>	Oregon Spotted Frog	Wetland	G2

*species links provided when available



All management recommendations assume that operators and land managers are following all applicable BMPs, laws, and regulations.

WASHINGTON WEST CASCADES ECOREGION

G1 and G2 Species Habitat Management Guidelines



INTRODUCTION

The Sustainable Forestry Initiative® (SFI) [2022 Standards](#) include requirements that promote and conserve Forests with Exceptional Conservation Value (FECV), which includes critically imperiled (G1) and imperiled (G2) species. This fact sheet summarizes the analysis of FECV habitat within this ecoregion and provides habitat management recommendations that would benefit species potentially found here.

HABITAT TYPES

- Forest Edge
- Mixed Conifer Forest
- Riparian, Streams, Wetlands
- Special Sites (Cliff, Grassland)

FOREST EDGE MANAGEMENT

- Protect known locations
- Apply buffers or light touch
- Provide floral resources such as Asters, Chrysothamnus, and Cirsium

MIXED CONIFER FOREST MANAGEMENT

- Protect known locations
- Retain legacy trees, stumps, and logs
- Retain large diameter trees with cavities or broken tops
- Leave skips and gaps with dense shrub component
- Retain large slash into piles

RIPARIAN, STREAMS, WETLANDS MANAGEMENT


- Protect known locations
- Maintain well vegetated buffers
- Plant a diversity of both hardwood and conifer trees
- Retain large diameter trees
- Buffer wetlands, springs, and headwater areas

SPECIAL SITE (CLIFF, GRASSLAND) MANAGEMENT

- Protect known locations
- Buffer special sites



Mount Rainier Lousewort



Mardon Skipper



Fringed Kittentails

All management recommendations assume that operators and land managers are following all applicable BMPs, laws, and regulations.


WASHINGTON WEST CASCADES ECOREGION

G1 and G2 Species Habitat Management Guidelines



SCIENTIFIC NAME	COMMON NAME	HABITAT	STATUS
<i>Erigeron howellii</i>	Howell's Fleabane	Cliff	G2
<i>Bombus suckleyi</i>	Suckley bumble bee	Forest Edge	G1G3
<i>Polites mardon</i>	Mardon Skipper	Grassland	G2G3
<i>Synthyris schizantha</i>	Fringed Kittenails	Mixed Conifer Forest	G2
<i>Pedicularis rainierensis</i>	Mount Rainier Lousewort	Mixed Conifer Forest	G2G3
<i>Juga sp. 3</i>	Brown juga	Riparian or Streams	G1
<i>Juga sp. 7</i>	Three-band juga	Riparian or Streams	G1
<i>Cryptomastix hendersoni</i>	Columbia Oregonian	Riparian or Streams	G1G2
<i>Juga sp. 1</i>	Basalt juga	Riparian or Streams	G2
<i>Sidalcea hirtipes</i>	Bristly-stem Sidalcea	Riparian or Streams	G2
<i>Sullivantia oregana</i>	Oregon Sullivantia	Riparian or Streams	G2
<i>Eanus hatchi</i>	Hatch's Click Beetle	Wetland	G1
<i>Sisyrinchium sarmentosum</i>	Pale Blue-eyed-grass	Wetland	G2
<i>Castilleja cryptantha</i>	Obscure Indian-paintbrush	Wetland	G2G3

*species links provided when available



All management recommendations assume that operators and land managers are following all applicable BMPs, laws, and regulations.